ACC.20 TOGETHER WITH WORLD CONGRESS OF CARDIOLOGY

AMÉRICAN COLLEGE of CARDIOLOGY



EFFICACY OF ENHANCED EXTERNAL COUNTERPULSATION; IN IMPROVING SIX MINUTES WALK TEST IN HEART FAILURE PATIENTS

ning and is and in and in any in the second s

Dr.S.Ramasamy,Ph.D(Cardio),FACC,FCCP(USA) EECP Consultant, 0.588 0.354 0.3 President, International Cardiology EECP/ECP Society, Project Director VMPL/TN Gov. EECP PPP Program, Director, Heal Your Heart. Fellowship Clinical Cardiology, PG(Prog) Cardiology (USA)



•Enhanced External Counterpulsation is an outpatient treatment to improve myocardial perfusion in chronic stable angina patients.

•We studied, the clinical response of symptomatic heart failure patients with reduced left ventricular ejection fraction improvement in the exercise tolerance and functional class with EECP.



Methods:

• We prospectively analysed 26 patients, who had undergone EECP with pre and post 6 minutes walk test, functional class assessed by the New York heart association classification, lipid profile, renal parameters and diastole to systole ratio in terms of Peak amplitude (P) and Area (A)under the curve value.



Patient Demographics:

Patient Demographics

Parameter	Value
Male	81 %
Diabetic Mellitus	50 %
Hypertension	30 %
Smokers	30 %
Triple Vessel Disease	61 %
Mean EF	$31.44 \pm 5.5\%$



Six Minutes Walk Test:





Ejection Fraction:





Creatinine:





Urea:





LDL:





Diastolic Augmentation:







- Enhanced External Counterpulsation(EECP) can act as an adjuvant supportive treatment for patients in Ischemic Heart failure with reduced ejection fraction(HFrEF).
- The treatment can significantly improve the HFrEF patients' exercise tolerance, left ventricular function, and quality of life.
- These benefits of EECP treatment can be directly attributed to improving myocardial blood flow and normalization of endovascular tone.



Conclusions:

- EECP treatment in heart failure patients with reduced ejection fraction improves six minutes walking distance, functional class and ejection fraction significantly.
- The treatment has a positive effect on the serum urea and LDL levels.
- These observed effects may be due to hyperdynamic circulation achieved by EECP and increased ejection fraction.

